

## YESODOT AREA B: LIST OF LOCI AND WALLS

### AREA Ba: LIST OF LOCI

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
100	A2	Topsoil	81.99	80.89
101	B2	Topsoil	81.68	81.32
102	A3	Topsoil	81.91	81.5
103	B3	Topsoil	81.69	80.81
104	A4	Topsoil	81.5	80.8
105	B4	Topsoil	81.67	80.22
106	A5	Topsoil	81.83	80.86
107	B5	Topsoil	81.67	81.49
108	A6	Topsoil	81.95	80.82
109	B6	Topsoil	81.94	81.27
110	A7	Topsoil	81.95	81.31
111	B7	Topsoil	81.94	80.42
112	A8	Topsoil	82.1	81.55
113	B8	Topsoil	81.93	81.59
114	A9	Topsoil	82.24	81.67
115	B9	Topsoil	82.22	81.64
116	A10	Topsoil	82.24	81.74
117	B10	Topsoil	82.22	81.64
118	C8	Topsoil	81.92	80.8
119	C9	Topsoil	81.92	80.61
120	C10	Topsoil	81.96	80.54
121	B1	Topsoil	81.67	80.55
122	C1	Topsoil	81.45	81.26
123	C2	Topsoil	81.45	80.07
124	C3	Topsoil	81.5	81.27
125	C4	Topsoil	81.53	80.76
126	C5	Topsoil	81.53	81.42
127	C6	Topsoil	81.66	80.67

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
128	C7	Topsoil	81.81	81.59
129	D3	Topsoil	81.37	81.12
130	D4	Topsoil	81.46	81.18
131	B8	Sub-floor fill	81.59	81.4
132	B8	Room fill	81.59	81.4
133	B9	Topsoil	81.64	81.45
134	B9	Cancelled (=137)	81.55	81.48
135	B10	Cancelled (=150)	81.64	81.5
136	B10	Fill/overburden	81.64	81.5
137	B10	Fill	81.6	81.5
138	A8	Overburden	81.55	81.45
139	A8-9-10	Floor	81.67	81.5
140	A9	Possible surface	81.71	81.5
141	A10	Floor	81.74	81.52
142	D2	Topsoil	81.36	81.21
143	D1	Topsoil	81.36	81.05
144	D5	Topsoil	81.46	81.22
145	D6	Topsoil	81.61	81.46
146	D7	Topsoil	81.61	81.53
147	D8	Topsoil	81.6	81.49
148	D9	Topsoil	81.57	81.46
149	D10	Topsoil	81.46	81.43
150	A10	Fill/floor	81.55	81.42
151	A8-9	Topsoil	82.24	81.58
152	B8-9	Topsoil	82.22	81.67
153	B8-9	Floor	81.67	81.57
154	A9-10	Topsoil	82.18	81.49
155	B9	Sediment under occupation surface	81.54	80.74
156	A8-9, B8-9	Topsoil	82.22	81.58
157	A10-B10	Topsoil	82.22	81.69
158	B9-10	Topsoil	81.91	81.63
159	A1	Topsoil	81.99	81.57

**AREA Ba: LIST OF WALLS**

<b>Wall</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
WB081	B8	Element of Building B1 western annex	81.71	81.52
WB082	B8	Western wall of Building B1	81.71	81.48
WB083	B8	Northwest wall of Building B1	81.7	81.53
WB084	B8	Wall element west of Building B1	81.65	81.43
WB091	B9-10	Wall on north side of Building B1	81.72	81.53
WB092	B9	Wall on north side of Building B1	81.74	81.61
WB093	B9	Wall on north side of Building B1	81.74	81.54
WB094	B8-9	Wall on north side of Building B1	81.74	81.54
WB101	A10-B10	Internal wall of Building B1	81.77	81.53
WA091	A8-9-10	South wall of Building B1	81.89	81.53
WA101	A10	Wall on south side of Building B1	81.83	81.67
WA102	A10	Internal wall of Building B1	81.78	81.57

**AREA Bb: LIST OF LOCI**

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
300	A14	Topsoil	82.29	82.09
301	A15	Topsoil	82.11	81.66
302	B14	Topsoil	81.88	81.72
303	A11	Topsoil	82.2	82.03
304	B11	Topsoil	82.3	81.22
305	A12	Topsoil	82.08	81.98
306	A13	Topsoil	81.92	81.59
307	C11	Topsoil	82.18	80.54
308	B15	Topsoil	81.89	81.59
309	B16	Topsoil	81.89	81.45
310	B17	Topsoil	81.69	81.02
311	A16	Topsoil	81.98	81.37
312	A17	Topsoil	81.82	81.11

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
313	B12	Topsoil	82.01	81.55
314	C12	Topsoil	81.88	80.6
315	C13	Topsoil	81.77	80.44
316	A11	Floor	82.03	81.63
317	A12	Floor	81.98	81.67
318	B11	Room fill	81.82	81.49
319	C14	Overburden	81.7	80.59
320	A13	Overburden	81.59	81.49
321	A14	Unknown	82.09	81.7
322	B12	Possible occupation surface	81.55	81.44
323	B14	Room fill	81.72	81.62
324	D11	Topsoil	81.49	81.38
325	D12	Topsoil	81.35	81.4
326	D13	Topsoil	81.56	81.29
327	D14	Topsoil	81.6	81.47
328	A13	Overburden	81.49	81.49
329	A13	Overburden	81.49	81.49
330	C17	Topsoil	81.53	79.74
331	D16	Overburden	81.45	81.45
332	A15	Room fill	81.66	81.66
333	B15	Overburden	81.59	81.29
334	C15	Topsoil	81.89	80.13
335	C16	Topsoil	81.89	80.16
336	A16	Pottery horizon adjacent to Building B2	81.37	81.37
337	A11-12	Floor	82.09	82.09
338	B17	Sterile sediment under occupation surface	81.44	80.7
339	B17	Ceramic accumulation outside Building B2	81.02	81.02
340	A17	Fill	81.11	79.95
341	B15	Overburden	81.29	81.29

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
342	A17	Pottery horizon	80.96	80.96
343	A18	Topsoil	81.53	81.53
344	B16	Overburden	80.84	80.81
345	A15-16	Occupation surface	81.22	81.17
346	A16-17	Overburden	80.86	80.81
347	B17	Probe	80.68	80.68
348	B17	Probe	80.42	80.42
349	B16	Probe	80.71	80.71
350	A18	Overburden	80.99	80.59
351	A17	Chalcolithic pit	80.77	80.77
352	D9	Sterile layer	81.46	80.12
353	D11	Sterile layer	81.38	80.29
354	D13	Probe	81.29	80.43
355	B13-14	Pebble floor in Building B2	81.68	81.64
356	B14	Room fill in Building B2	81.62	81.62
357	B14	Fill	81.62	81.37
358	A13	Overburden	81.64	81.4
359	B-C13	Floor	81.76	81.56
360	D15	Probe	80.82	79.8
361	D17	Topsoil/overburden	81.57	80.82
362	D15-16	Floor	81.33	81.16
363	A15	Stone collapse from WA1610	81.51	81.51
364	A18	Probe	80.53	80.38
365	A19	Topsoil	81.04	81.04
366	A20	Topsoil	80.87	80.87
367	A21	Topsoil	80.71	80.71
368	A22	Topsoil	80.54	80.54
369	A14-15	Collapse adjacent to Building B2	81.7	81.7
370	A14	Floor	81.53	81.53
371	A14	Collapse in Building B2	81.5	81.5
372	A-B15	Collapse in Building B2	81.55	81.55

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
373	A23	Topsoil	80.4	80.4
374	B18	Topsoil above Kiln L378	81.08	80.82
375	B16	Ceramic accumulation outside Building B2	81.14	80.88
376	B18	Fill of Kiln L378	80.56	80.38
377	B18	Overburden/fill	80.82	80.51
378	B18	Kiln	80.36	80.08
379	B19	Probe	80.51	79.83
380	B20	Overburden	80.48	80
381	B21	Fill/occupation surface	80.32	80
382	B21	Fill/occupation surface	80	79.5
383	B22	Overburden	79.85	79.4
384	B23	Sterile layer	82.22	79.66
385	C23	Topsoil	80.28	80.16
386	C22	Overburden/fill	80.49	79.62
387	C21	Topsoil	80.53	80.08
388	C20	Topsoil/overburden	80.65	80.38
389	C19	Topsoil	80.76	80.62
390	D18	Topsoil	80.68	80.53
391	D16	Overburden	80.24	79.24
392	B-C23	Topsoil	80.02	79.83
393	C21	Overburden	80.46	80.26
394	C-D17	Fill	80.82	80.24
395	C-D17	Fill	80.82	80.24
396	B-C23	Overburden	79.83	79.47
397	C-D18	Overburden	80.53	
398	C-D19	Deposit/occupation surface	80.62	
399	B-C23	Fill/waste deposit	79.66	79.47
400	C-D22	Sterile layer	80.49	79.62
401	C-D19	Sterile layer	80.49	80.41
402	C-D23	Waste deposit	79.93	78.46
403	C-D21	Occupation surface	79.62	79.09

<b>Locus</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
404	C-D22	Occupation surface/debris	79.46	79.46
405	D10	Overburden	80.09	79.71
406	D19	Fill	80.41	80.19
407	C-D18	Sterile deposit	80.53	80.24
408	C-D18	Sterile deposit	80.53	80.18
409	C-D19	Debris layer	80.41	80.19
410	C-D20	Pit	80.22	79.39
411	C-D21	Pit	80.26	79.99
412	C-D22	Debris layer	79.75	79.62
413	C-D22	Debris layer	79.62	78.7
414	A-B23	Debris layer	79.45	79.15
415	C-D21	Pit	79.56	79.08
416	C-D22	Debris layer	79.24	79.24
417	C-D19	Floor	80.16	80.13
418	C19	Debris layer		

**AREA Bb: LIST OF WALLS**

<b>Wall</b>	<b>Square</b>	<b>Description</b>	<b>Opening Level</b>	<b>Closing Level</b>
B111	B11	Northeast wall of Building B1	81.82	81.56
B112	B11	Northeast wall of building B1	81.74	81.56
A133	A13	Wall southwest of Building B2	81.66	81.43
A164	A16	Internal wall of Building B2	81.36	
B155	B15	North wall of Building B2	81.54	81.26
A176	A17	Wall east of Building B2	81.13	80.72
B177	B17	Wall section northeast of Building B2	80.83	
B148	B14	Northwest wall of Building B2	81.7	81.6
A149	A14	Wall at west end of Building B2	81.63	81.48
A1610	A16	Wall at southwest corner of Building B2	81.54	81.21
A1611	A16	East end of Building B2	81.35	81.23
A1612	A16	Wall at east end of Building B2	81.35	81.23

Wall	Square	Description	Opening Level	Closing Level
B1413	B14	Wall at northwest corner of Building B2	81.7	81.53
B1414	B14	Wall at northwest corner of Building B2	81.59	81.43
D1715	D17	Wall section west of Installation B3	81.57	80.82
C1916	C19	South wall of Installation B3	80.3	80.12
D1917	D19	North wall of Installation B3	80.41	80.15
D1918	D19	Wall section north of Installation B3	80.63	80.17
WC1919	C19	Wall adjacent to Installation B3		
B1920	B19	Wall section east of potters' workshop	80.83	80.28
B1921	B19	Wall section east of potters' workshop	80.83	80.28
B2322	B23	Wall at east end of Area Bb	79.7	79.41
B2323	B23	Wall at east end of Area Bb	79.64	79.41
C1924	C19	East wall of Installation B3	80.41	80.15
C2325	C23	Wall at east end of Area Bb	79.78	79.21
C2326	C23	Wall section at east end of Area Bb		
C2127	C21	Wall section east of Installation B3		
WA151	A15	Wall in Building B2		
WA1411	A14	Wall at west end of Building B2	81.8	81.64
WB131	B13	Wall at west end of Building B2	81.72	81.64
WC211	C21	Wall east of Installation B3	80.32	80.01
WC212	C21	Wall east of Installation B3	80.35	80.04
WB1528	B15	Wall incorporating bench in Building B2	81.59	81.2